

V 30 MINUTE
EPOXY™
HARDENER
B
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

V 30 MINUTE
EPOXY™
HARDENER
B
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

V 30 MINUTE
EPOXY™
HARDENER
B
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

V 30 MINUTE
EPOXY™
HARDENER
B
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

<<< Leading Edge 7/16"

Avery 5163 or Office Depot OD1130C 10 up 2x4". Cut square edges top & bottom then mid color breaks.
Blg Front. Small Back. Print on Epson 3000 set tension at Head of + Arrow. Manual Feed Face Up.

Trailing Edge 9/16">>>>>

V 30 MINUTE
EPOXY™
EPOXY RESIN
A
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

V 30 MINUTE
EPOXY™
EPOXY RESIN
A
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

V 30 MINUTE
EPOXY™
EPOXY RESIN
A
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

V 30 MINUTE
EPOXY™
EPOXY RESIN
A
SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

SLOWER CURE
HIGH
STRENGTH
57 ml (2 oz fl)
#VCA-30ZPOXY4
www.richmondrc.com

CAUTION: Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN
INSTRUCTIONS: Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.