

**V<sup>30</sup> MINUTE  
EPOXY™**

**HARDENER**

**B**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**V<sup>30</sup> MINUTE  
EPOXY™**

**HARDENER**

**B**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**V<sup>30</sup> MINUTE  
EPOXY™**

**HARDENER**

**B**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**V<sup>30</sup> MINUTE  
EPOXY™**

**HARDENER**

**B**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**CAUTION:** Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Polyamide Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, do NOT induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

<<< Leading Edge 7/16"

Avery 5163 or Office Depot OD1130C 10 up 2x4". Cut square edges top & bottom then mid color breaks. Blg Front. Small Back. Print on Epson 3000 set tension at Head of + Arrow. Manual Feed Face Up.

Trailing Edge 9/16">>>>>

**V<sup>30</sup> MINUTE  
EPOXY™**

**EPOXY RESIN**

**A**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**V<sup>30</sup> MINUTE  
EPOXY™**

**EPOXY RESIN**

**A**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**V<sup>30</sup> MINUTE  
EPOXY™**

**EPOXY RESIN**

**A**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**V<sup>30</sup> MINUTE  
EPOXY™**

**EPOXY RESIN**

**A**

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**SLOWER CURE  
HIGH  
STRENGTH**

114 ml (4 oz fl)  
#VCA-30ZPOXY8  
www.richmondrc.com

**CAUTION:** Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.

**CAUTION:** Contains Epoxy Resin. Use with adequate ventilation. Avoid contact with skin & eyes. Flush eyes with water for 15 minutes. Wash skin with soap & water. If swallowed, induce vomiting. Call a physician. KEEP OUT OF REACH OF CHILDREN  
**INSTRUCTIONS:** Ensure parts are clean, dry and free from oil and grease. Thoroughly mix equal amounts of Part-A Epoxy Resin & Part-B Hardener. Assemble the parts immediately before mixture begins to thicken. Hardens in 30 minutes. Full strength in 24 hours.